



Mohawk Resources Ltd.

P.O. Box 110 * Amsterdam, NY 12010

Toll-Free (800) 833-2006

Local (518) 842-1431 * Fax (518) 842-1289

www.mohawklifts.com



Retail Price Sheet

Effective 11/15/11

PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
-------	------	----------	-------------	--------	------------

PORTABLE SCISSOR LIFT

006-030-000	TP	6,000 LBS.	USL-6000		7,675.00
-------------	----	------------	----------	--	----------

TWO POST LIFTS

007-012-000	TL	7,000 LBS.	TL-7 GOLF TURF LIFT	2,900 LBS.	13,400.00
-------------	----	------------	---------------------	------------	-----------



007-010-001	TP	7,000 LBS.	A-7A - **ALI/ETL CERTIFIED**	2,500 LBS.	7,025.00
601-440-006	Option		Weight Gauge, A-7		125.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
007-011-043	Option		Dual Post Controls, A-7		925.00
007-011-008	Option		208-220/230 VAC, 3 Ph, A-7		1,300.00
007-011-009	Option		440-460/480 VAC, 3 Ph, A-7		1,300.00
007-011-026	Option		208-220/230 VAC, 1 Ph, Hand Control, A-7		1,475.00
025-011-014	Option		115 VAC Duplex Outlet		150.00
007-011-046	Option		208-220/230 VAC, 1 Ph, Obstacle Sensor Pkg		1,900.00
007-011-047	Option		208-220/230 VAC, 3 Ph, Obstacle Sensor Pkg,		1,900.00
009-011-041	Option		440-460/480 VAC, 3 Ph, Obstacle Sensor Pkg		1,900.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
025-012-018	Option		Keyed Lockout, 3 Ph		375.00
009-011-065	Option		Keyed Lockout, 1 Ph		925.00
009-001-083	Option		Lifting Pad Kit (Rubber) (Set of 4)		300.00
ZZ1229-A-005	Option		Lifting Pad Kit Round (Rubber) (Set of 4)		300.00
007-007-094	Option		Lifting Pad Kit (Swing Arm - Rubber) (Set of 4)		350.00
007-011-029	Option		Lifting Pad Kit (Swing Arm) (Set of 4)		250.00
007-011-028	Option		Lifting Pad Kit, 3/4" Shoulder (Axle Engaging) (Set of 4)		225.00
ZZ1035-A-006	Option		Adjustable Screw Type Lifting Pads for A-7, SYSTEM-IA (set of 4)		600.00
007-011-014	Option		Reversed Hydraulic System, A-7		225.00
007-011-003	Option		Underground Line, A-7 - special order		825.00
007-011-049	Option		Special 220 Volt Single Phase 50 HZ 3 HP - A7		1,700.00
601-510-020	Option		Utility Station - 1/4" ports		400.00
009-011-085	Option		Swing Arm Safety Head Guards (set of 4)- A7		150.00
ZZ1095-P-001	Option		Foam Door Guard (Set of 2)		150.00



009-010-075	TP	10,000 LBS.	System IA - 10,000 - **ALI/ETL CERTIFIED**	2,600 LBS.	7,700.00
601-440-006	Option		Weight Gauge, IA		125.00
ZZ757-D	Option		Speed Lane Option for System-IA, LC-12, LMF-12, TP-16		4,000.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
009-011-003	Option		Underground Lines, IA		600.00
009-011-049	Option		Turf Package, IA - (4 Pad Style)		1,875.00
016-011-012	Option		WA-1/WA-12 Wheel Adapter Kit - SYS-IA		2,450.00
009-011-046	Option		Wheel Adapter Reducer Sleeves (WA IA & 12)		800.00
009-011-008	Option		208-220/230 VAC, 3 Ph, IA		1,300.00
009-011-012	Option		440-460/480 VAC, 3 Ph, IA		1,300.00
009-011-044	Option		208-220/230 VAC, 1 Ph w/ Hand Control, IA		1,475.00
009-011-042	Option		208-220/230 VAC, 1 Ph, Obstacle Sensor Pkg, IA		1,900.00
009-011-040	Option		208-220/230 VAC, 3 Ph, Obstacle Sensor Pkg, IA		1,900.00
009-011-041	Option		440-460/480 VAC, 3 Ph, Obstacle Sensor Pkg, IA		1,900.00



PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
025-011-014	Option		115 VAC Duplex Outlet		150.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
025-012-018	Option		Keyed Lockout 3 Ph		375.00
009-011-065	Option		Keyed Lockout, 1 Ph		925.00
009-001-083	Option		Lifting Pad Kit (Rubber) (Set of 4)		300.00
ZZ1229-A-005	Option		Lifting Pad Kit Round (Rubber) (Set of 4)		300.00
007-007-094	Option		Lifting Pad Kit (Swing Arm - Rubber) (Set of 4)		350.00
007-011-029	Option		Lifting Pad Kit (Swing Arm) (Set of 4)		250.00
007-011-028	Option		Lifting Pad Kit, 3/4" Shoulder (Axle Engaging)		225.00
ZZ1035-A-006	Option		Adjustable Screw Type Lifting Pads for A-7, SYSTEM-IA (set of 4)		600.00
009-011-030	Option		Side Mounted Power Unit, IA		325.00
009-011-043	Option		Slider / Swing Arm Kit (+5"), IA - Reduces Lift Capacity to 6,000 lbs.		1,400.00
009-011-064	Option		Hunter Adapter Kit , System IA - Retrofit Later		1,100.00
009-011-004	Option		Hunter Adapter Kit, IA - Less arms/sliders/lifting pads/adapters		500.00
007-011-049	Option		Special 220 Volt Single Phase 50 HZ 3 HP - IA		1,700.00
601-510-020	Option		Utility Station - 1/4" ports		400.00
009-011-085	Option		Swing Arm Safety Head Guards (set of 4)- IA		150.00
ZZ1095-P-001	Option		Foam Door Guard (Set of 2)		150.00

012-001-000	TP	12,000 LBS.	LC-12 Low Ceiling 12,000		10,500.00
012-001-001	TP	12,000 LBS.	LC-12-3SA Low Ceiling 12,000 3 stage arms		12,000.00
601-440-006	Option		Weight Gauge, LC-12, LC12-3SA		125.00
ZZ757-D	Option		Speed Lane Option for System-IA, LC-12, LMF-12,TP-16		4,000.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
009-011-003	Option		Underground Lines, IA		600.00
ZZ1277-A-003	Option		3-Stage Arm KIT for LC-12 (for conversion)		2,000.00
012-011-054	Option		Turf Package, LC-12 -(4 Pad Style)		2,125.00
016-011-012	Option		WA-1/WA-12 Wheel Adapter Kit -LC-12		2,450.00
009-011-008	Option		208-220/230 VAC, 3 Ph, LC-12		1,300.00
009-011-012	Option		440-460/480 VAC, 3 Ph, LC-12		1,300.00
009-011-044	Option		208-220/230 VAC, 1 Ph w/ Hand Control, LC-12		1,475.00
009-011-042	Option		208-220/230 VAC, 1 Ph, Obstacle Sensor Pkg, LC-12		1,900.00
009-011-040	Option		208-220/230 VAC, 3 Ph, Obstacle Sensor Pkg, LC-12		1,900.00
009-011-041	Option		440-460/480 VAC, 3 Ph, Obstacle Sensor Pkg, LC-12		1,900.00
025-011-014	Option		115 VAC Duplex Outlet		150.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
025-012-018	Option		Keyed Lockout 3 Ph		375.00
009-011-065	Option		Keyed Lockout, 1 Ph		925.00
012-012-092	Option		Lifting Pad Kit (Rubber) (Set of 4)		300.00
ZZ1229-A-006	Option		Lifting Pad Kit Round (Rubber) (Set of 4)		300.00
026-011-019	Option		Special Lifting Pad Kit (Cupped) (Set of 4)		300.00
ZZ1035-A-007	Option		Adjustable Screw Type Lifting Pads for LC-12 (set of 4)		600.00
601-510-020	Option		Utility Station - 1/4" ports		400.00
ZZ1095-P-001	Option		Foam Door Guard (Set of 2)		150.00



012-010-001	TP	12,000 LBS.	LMF-12 - 4HP -**ALI/ETL CERTIFIED**	3,100 LBS.	13,150.00
601-440-007	Option		Weight Gauge, LMF-12		125.00
ZZ757-D	Option		Speed Lane Option for System-IA,LMF-12, TP-16		4,000.00
ZZ1277-A-002	Option		3-Stage Arm-OPTION LMF (For NEW lift)		1,500.00
ZZ1277-A-003	Option		3-Stage Arm KIT for LMF (for conversion)		2,000.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
012-011-003	Option		Underground Lines, LMF-12		600.00
012-011-054	Option		Turf Package, LMF-12 -(4 Pad Style)		2,125.00
016-011-012	Option		WA-1/WA-12 Wheel Adapter Kit - LMF-12		2,450.00
009-011-046	Option		Wheel Adapter Reducer Sleeves (WA IA & LMF-12)		800.00
012-011-038	Option		208-220/230 VAC, 3 Ph , 2.5HP, LMF-12		1,300.00
012-011-040	Option		440-460/480 VAC, 3 Ph , 2.5HP, LMF-12		1,350.00
012-011-050	Option		208-220/230 VAC, 1 Ph w/ Hand Control,(Up & Down) 2.5HP, LMF-12		1,475.00
012-011-046	Option		208-220/230 VAC, 1 Ph - Obstacle Sensor Pkg, 2.5HP, LMF-12		1,900.00
012-011-044	Option		208-220/230 VAC, 3 Ph - Obstacle Sensor Pkg, 2.5HP, LMF-12		1,900.00
012-011-045	Option		440-460/480 VAC, 3 Ph - Obstacle Sensor Pkg, 2.5HP, LMF-12		1,900.00
016-011-017	Option		440-480 VAC, 3 Ph, 5 HP Option with Pendant (UP/DOWN) (Option for 4HP/1Ph Replacement)		3,500.00
016-011-019	Option		208-230 VAC, 3 Ph, 5 HP Option with Pendant (UP/DOWN) (Option for 4HP/1Ph Replacement)		3,475.00
016-011-021	Option		440-480 VAC, 3 Ph, 5 HP Option with Pendant and Airlock (UP/DOWN/UNLOCK) (Option for 4HP/1Ph Replacement)		3,475.00
016-011-023	Option		208-230 VAC, 3 Ph, 5 HP Option with Pendant and Airlock (UP/DOWN/UNLOCK) (Option for 4HP/1Ph Replacement)		3,850.00
016-011-025	Option		440-480 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY) (Option for 4HP/1Ph Replacement)		2,575.00



PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
016-011-027	Option		208-230 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY) (Option for 4HP/1Ph Replacement)		2,550.00
025-011-014	Option		115 VAC Duplex Outlet		150.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
025-012-018	Option		Keyed Lockout 3 Ph		375.00
009-011-065	Option		Keyed Lockout, 1 Ph		925.00
012-012-092	Option		Lifting Pad Kit (Rubber) (Set of 4)		350.00
015-011-062	Option		Lifting Pad Kit (Swing Arm) (Set of 4)		250.00
ZZ1229-A-006	Option		Lifting Pad Kit Round (Rubber) (Set of 4) LMF-12		300.00
026-011-019	Option		Special Lifting Pad Kit (Cupped) (Set of 4)		300.00
ZZ1035-A-007	Option		Adjustable Screw Type Lifting Pads for LMF-12, TP-16 (set of 4)		600.00
012-011-037	Option		Slider/Swing Arm Kit (+5"), LMF-12 - Reduces Lift Capacity to 9,000 lbs.		1,650.00
012-011-067	Option		Special 220 Volt Single Phase 50 HZ 3 HP - LMF-12		1,700.00
601-510-020	Option		Utility Station - 1/4"ports		400.00
ZZ1095-P-001	Option		Foam Door Guard (Set of 2)		150.00

016-000-001	TP	16,000 LBS.	TP-16 - 4HP -**ALI/ETL CERTIFIED**	3,600 LBS.	16,375.00
601-440-007	Option		Weight Gauge, TP-16		125.00
ZZ757-D	Option		Speed Lane Option for System-IA, LMF-12, TP-16		4,000.00
ZZ1277-A-002	Option		3-Stage Arm-OPTION TP-16 (for NEW lift)		1,500.00
ZZ1277-A-003	Option		3-Stage Arm KIT for TP-16 (for conversion)		2,000.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
015-011-003	Option		Underground Line, TP-16		600.00
012-011-054	Option		Turf Package, LMF, TP-16 - (4 Pad Style)		2,125.00
016-011-012	Option		WA-1/WA-12 Wheel Adapter Kit - TP-16		2,450.00
009-011-046	Option		Wheel Adapter Reducer Sleeves (WA IA & 12)		800.00
015-011-041	Option		208-220/230 VAC, 3 Ph, 2.5HP, TP-16		1,300.00
015-011-007	Option		440-460/480 VAC, 3 Ph, 2.5HP, TP-16		1,350.00
015-011-051	Option		208-220/230 VAC, 1 Ph - Hand Control (Up & Down), 2.5HP, TP-16		1,475.00
015-011-047	Option		208-220/230 VAC, 1 Ph - Obstacle Sensor Pkg, 2.5HP, TP-16		1,900.00
015-011-045	Option		208-220/230 VAC, 3 Ph - Obstacle Sensor Pkg, 2.5HP, TP-16		1,900.00
015-011-046	Option		440-460/480 VAC, 3 Ph - Obstacle Sensor Pkg, 2.5HP, TP-16		1,900.00
016-011-017	Option		440-480 VAC, 3 Ph, 5 HP Option with Pendant (UP/DOWN) (Option for 4HP/1Ph Replacement)		3,500.00
016-011-019	Option		208-230 VAC, 3 Ph, 5 HP Option with Pendant (UP/DOWN) (Option for 4HP/1Ph Replacement)		3,475.00
016-011-021	Option		440-480 VAC, 3 Ph, 5 HP Option with Pendant and Airlock (UP/DOWN/UNLOCK) (Option for 4HP/1Ph Replacement)		3,475.00
016-011-023	Option		208-230 VAC, 3 Ph, 5 HP Option with Pendant and Airlock (UP/DOWN/UNLOCK) (Option for 4HP/1Ph Replacement)		3,850.00
016-011-025	Option		440-480 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY) (Option for 4HP/1Ph Replacement)		2,575.00
016-011-027	Option		208-230 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY) (Option for 4HP/1Ph Replacement)		2,550.00
025-011-014	Option		115 VAC Duplex Outlet		150.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
025-012-018	Option		Keyed Lockout 3 Ph		375.00
009-011-065	Option		Keyed Lockout, 1 Ph		925.00
012-012-092	Option		Lifting Pad Kit (Rubber) (Set of 4)		350.00
015-011-062	Option		Lifting Pad Kit (Swing Arm) (Set of 4)		250.00
ZZ1229-A-006	Option		Lifting Pad Kit Round (Rubber) (Set of 4) TP-16		300.00
ZZ1035-A-007	Option		Adjustable Screw Type Lifting Pads for LMF-12, TP-16 (set of 4)		600.00
012-011-037	Option		Slider/Swing Arm Kit (+5"), TP-16- Reduces Lift Capacity to 9,000 lbs.		1,650.00
026-011-019	Option		Special Lifting Pad Kit (Cupped) (Set of 4)		300.00
601-510-020	Option		Utility Station - 1/4"ports		400.00
ZZ1095-P-001	Option		Foam Door Guard (Set of 2)		150.00
TP-16 SPECIAL ORDER ITEMS					
015-011-053	Option		208-220/230 VAC, 1 Ph w/ Hand Control (Up Only), TP-16		550.00
012-011-067	Option		Special 220 Volt Single Phase 50 HZ 3 HP - TP16		1,700.00



HEAVY DUTY TWO POST LIFTS					
020-020-000	TP	20,000 LBS.	TP-20 - 4HP - w/ Airlock Release -**ALI/ETL CERTIFIED**	7,300 LBS.	34,475.00
601-440-013	Option		Weight Gauge, TP20		125.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
020-011-015	Option		Underground Line, TP-20		800.00
020-011-001	Option		208/230 VAC, 3 Ph, 2.5HP, TP-20		2,100.00
020-011-006	Option		440/480 VAC, 3 Ph, 2.5HP, TP-20		2,625.00
015-011-051	Option		208-220/230 VAC, 1 Ph - Hand Control (Up & Down), 2.5HP, TP-20		1,475.00
020-011-026	Option		575 VAC, 3 Ph, 2.5HP, TP-20		2,975.00
020-011-021	Option		208-220/230 VAC, 1 Ph - Obstacle Sensor Pkg, 2.5HP, TP-20		1,900.00
020-011-022	Option		208-220/230 VAC, 3 Ph - Obstacle Sensor Pkg, 2.5HP, TP-20		1,900.00
020-011-023	Option		440-460/480 VAC, 3 Ph - Obstacle Sensor Pkg, 2.5HP, TP-20		1,900.00




PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
020-011-051	Option		440-480 VAC, 3 Ph, 5 HP Option with Pendant and Airlock (UP/DOWN/UNLOCK) (Option for 4HP/1Ph Replacement)		3,425.00
020-011-053	Option		208-230 VAC, 3 Ph, 5 HP Option with Pendant and Airlock (UP/DOWN/UNLOCK) (Option for 4HP/1Ph Replacement)		3,400.00
020-011-055	Option		440-480 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY) (Option for 4HP/1Ph Replacement)		2,150.00
020-011-057	Option		208-230 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY) (Option for 4HP/1Ph Replacement)		2,125.00
020-011-004	Option		Lifting Pad Weldment (2" Shoulder) (Set of 4)		250.00
026-011-019	Option		Special Lifting Pad Kit (Cupped) (Set of 4)		300.00
ZZ1035-A-009	Option		Adjustable Screw Type Lifting Pads for TP-20 (set of 4)		600.00
025-011-014	Option		115 VA Duplex Outlet		150.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
601-510-020	Option		Utility Station - 1/4"ports		400.00
020-011-029	Option		Under Slab Hoses TP20 (must install in ground conduit per specification)		850.00

026-002-000	TP	26,000 LBS.	TP-26A - w/ Airlocks Release - **ALI/ETL CERTIFIED**	8,600 LBS.	41,025.00
ZZ801-A	TP	26,000 LBS.	TP-26A - Wide Base -w/ Airlocks Release - **ALI/ETL CERTIFIED**	9,000 LBS.	43,125.00
030-002-000	TP	30,000 LBS.	TP-30A - w/ Airlocks Release - **ALI/ETL CERTIFIED**	9,800 LBS.	45,225.00
ZZ801-G	TP	30,000 LBS.	TP-30A - Wide Base -w/ Airlocks Release - **ALI/ETL CERTIFIED**	10,200 LBS.	47,350.00
601-440-013	Option		Weight Gauge, TP18, TP20, TP26, TP30		125.00
000-001-009	Option		O/H Hyd Line Extension (0' - 8 ft), (Set of 4)		275.00
000-001-011	Option		O/H Hyd Line Extension (> 8 ft To 16 ft), (Set of 4)		300.00
026-011-032	Option		Underground Line , TP-30		800.00
030-002-025	Option		Under Slab Hoses and Custom Base Plate,TP26, 30		1,475.00
026-011-002	Option		208 VAC, 1 Ph , TP-26/30		975.00
026-011-021	Option		440-460/480 VAC, 3 Ph , TP-26/30		325.00
026-011-018	Option		115 VA Duplex Outlet		150.00
026-011-035	Option		208-220/230 VAC, 1 Ph - Obstacle Sensor Pkg, TP26, 30		1,900.00
026-011-036	Option		208-220/230 VAC, 3 Ph - Obstacle Sensor Pkg, TP26,30		1,900.00
026-011-037	Option		440-460/480 VAC, 3 Ph - Obstacle Sensor Pkg, TP26, 30		1,900.00
026-011-019	Option		Special Lifting Pad Kit (Cupped) (Set of 4)		300.00
ZZ1035-A-008	Option		Adjustable Screw Type Lifting Pads for TP-26, TP-30 (set of 4)		1,700.00
026-000-076	Option		Sub Frame Assembly - Special Order - For Standard Base Plate Only		7,075.00
601-510-020	Option		Utility Station - 1/4"ports		400.00






FOUR POST LIFTS - TR19'S, TR25'S AND FL UNITS					
019-169-000	TR	19,000 LBS.	TR-19 (16'9" Tracks) (with Standard Airlock Release)	5,500 LBS.	14,325.00
019-000-013	TR	19,000 LBS.	TR-19 (20' Tracks) (with Standard Airlock Release)	5,500 LBS.	14,725.00
019-000-010	Option		RJ-15 Rolling Jacking Beam (15,000 lb)		5,500.00
019-000-011	Option		JP-15 Rolling Jack Platform (15,000 lb)		2,500.00
025-012-070	Option		Drive Thru Ramp , FL-25, TR-25 (5' x 24")		1,825.00
025-011-024	Option		Oil Drain Pan, 25 Gallon Capacity		1,500.00
025-012-006	Option		208-220/230 VAC, 3 Ph (Down Sole & Hand Control)		1,725.00
025-012-008	Option		440-460/480 VAC, 3 Ph (Down Sole & Hand Control)		2,125.00
025-013-005	TR	25,000 LBS.	FL-25 (13' Tracks) (with Standard Airlock Release)		18,925.00
025-013-xxx	TR	25,000 LBS.	FL-25 Custom		25,275.00
025-012-088	Option		Third Wheel , FL25 (5' x 18" Wide Ramp)		2,725.00
025-012-068	Option		Third Wheel , FL25 (5' x 24" Wide Ramp)		2,725.00
025-012-085	Option		Third Wheel , FL25 (7-1/2' x 18" Wide Ramp)		2,900.00
025-012-074	Option		Third Wheel , FL25 (7-1/2' x 24" Wide Ramp)		2,900.00
025-020-114	TR	25,000 LBS.	TR-25A (20' Tracks) (with Standard Airlock Release)	5,750 LBS.	15,275.00
025-025-005	TR	25,000 LBS.	TR-25A (25' Tracks) (with Standard Airlock Release)	6,750 LBS.	18,950.00
025-030-004	TR	25,000 LBS.	TR-25A (30' Tracks) (with Standard Airlock Release)	7,750 LBS.	22,100.00
019-000-010	Option		RJ-15 Rolling Jacking Beam		5,500.00
025-003-036	Option		RJ-25 Rolling Jacking Beam		7,250.00
025-014-006	Option		>Crossrail Outlet Kit, TR-25A		1,375.00
019-000-011	Option		JP-15 Rolling Jack Platform		2,500.00
025-003-037	Option		JP-25 Rolling Jack Platform		2,800.00
025-012-081	Option		Rolling Jack Platform Assembly - Special Width		3,500.00
025-012-070	Option		Drive Thru Ramps 5'		1,825.00
025-012-069	Option		Track Extensions - 3' (Set of 2)		1,600.00
025-011-024	Option		Rolling Oil Drain Pan, 25 Gallon Capacity		1,500.00
025-014-011	Option		Track Light Kit (13' Tracks - 4 Lights)		2,125.00
025-014-012	Option		Track Light Kit (20'-25' Tracks - 6 Lights)		2,750.00
025-014-013	Option		Track Light Kit (30' Tracks - 8 Lights)		3,400.00
025-014-030	Option		Alignment Cutouts - 24" w/ Leg Bases Tapped		3,000.00
ZZ1006-P-001	Option		Special Leg Bases with Tapped holes for leveling (all 4 legs)		725.00
025-012-006	Option		208-220/230 VAC, 3 Ph (Down Sole & Hand Control)		1,725.00
025-012-008	Option		440-460/480 VAC, 3 Ph (Down Sole & Hand Control)		2,125.00







PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
025-012-020	Option		208-220/230 VAC, 2HP, 1 Ph (Down Sole & Hand Control)		1,475.00
025-011-014	Option		115 VAC Duplex Outlet		150.00
025-012-019	Option		Descent Alarm 3 Ph		425.00
025-012-018	Option		Keyed Lockout 3 Ph		375.00
009-011-065	Option		Keyed Lockout, 1 Ph		925.00
025-012-014	Option		Obstacle Sensor Pkg, 208-220/230 VAC, 1 Ph		2,650.00
025-012-012	Option		Obstacle Sensor Pkg, 208-220/230 VAC, 3 Ph		2,650.00
025-012-013	Option		Obstacle Sensor Pkg, 440-460/480 VAC, 3 Ph		2,650.00
025-014-018	Option		Secondary Crossrail Outlet Kit		425.00
025-012-091	Option		Crossrail, 9" Wider		1,950.00
025-014-017	Option		Automatic Wheel Stop - Less Ramps (Flush Mounted Lifts Only)		N/C
025-000-110	Option		Base Plate (for Shimming), 1' x 1' x 1/2 Thick (requires longer anchor bolts)		75.00
025-011-073	Option		Lockable Main Switch 3 Ph NEMA 1		375.00
025-012-010	Option		575 VAC, 3 Ph (Down Sole & Hand Control)		2,125.00
030-070-071	TR	30,000 LBS.	TR-30 (20' Tracks) - **ALI/ETL CERTIFIED**		46,200.00
030-070-072	TR	30,000 LBS.	TR-30 (25' Tracks) - **ALI/ETL CERTIFIED**		47,000.00
030-070-073	TR	30,000 LBS.	TR-30 (30' Tracks) - **ALI/ETL CERTIFIED**		48,500.00
030-071-002	Option		440-480 VAC, 3 Ph, 5 HP Option w/ Pendant & Airlock (UP/DOWN/UNLOCK)		3,850.00
030-071-004	Option		208-230 VAC, 3 Ph, 5 HP Option w/ Pendant & Airlock (UP/DOWN/UNLOCK)		3,825.00
030-071-006	Option		440-480 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY)		2,575.00
030-071-008	Option		208-230 VAC, 3 Ph, 5 HP Option with NO Pendant (UP ONLY)		2,550.00
050-050-036	Option		Track Light Kit (Packed) 20' Tracks ALI/ETL for TR-30/33/35/50/75		3,975.00
050-050-037	Option		Track Light Kit (Packed) 25' Tracks ALI/ETL for TR-30/33/35/50/75		5,400.00
050-050-038	Option		Track Light Kit (Packed) 30' Tracks, ALI/ETL for TR-30/33/35/50/75		7,000.00
033-011-052	Option		Track Lights & Outlets Kit (Packed) 20' Tracks for TR-30/33/35/50/75 (Non-Certified)		2,500.00
033-011-053	Option		Track Lights & Outlets Kit (Packed) 25' Tracks for TR-30/33/35/50/75 (Non-Certified)		3,000.00
033-011-054	Option		Track Lights & Outlets Kit (Packed) 30' Tracks for TR-30/33/35/50/75 (Non-Certified)		3,700.00
025-050-018	Option		RJ-20 Jacking Beam Assembly (ALI/ETL) for TR-30		7,250.00
019-000-010	Option		RJ-15 (15,000 LB) Jacking Beam for TR-19, FL-25, TR-25, TR-30 (Non-Certified)		5,500.00
025-011-024	Option		Oil Drain Pan Assembly, 25 Gallon Capacity for All TR-Series Lifts		1,500.00
030-071-009	Option		Drive Thru Ramp Option, TR-30		3,525.00

HEAVY DUTY FOUR POST LIFTS

Standard Track Width 24" "WT" Model = Wide Track 32" "N" Model = Narrow Cross Rail










075-050-043	TR		TR-33 (20' Tracks) - **ALI/ETL CERTIFIED**		63,775.00
075-050-047	TR		TR-33 (25' Tracks) - **ALI/ETL CERTIFIED**		68,350.00
075-050-051	TR		TR-33 (30' Tracks) - **ALI/ETL CERTIFIED**		75,200.00
075-060-001	TR		TR-33WT (20' Tracks) - **ALI/ETL CERTIFIED**		67,500.00
075-060-005	TR		TR-33WT (25' Tracks) - **ALI/ETL CERTIFIED**		72,725.00
075-060-009	TR		TR-33WT (30' Tracks) - **ALI/ETL CERTIFIED**		80,250.00
075-070-001	TR		TR-33N (20' Tracks) - **ALI/ETL CERTIFIED**		63,775.00
075-070-005	TR		TR-33N (25' Tracks) - **ALI/ETL CERTIFIED**		68,350.00
075-070-009	TR		TR-33N (30' Tracks) - **ALI/ETL CERTIFIED**		75,200.00
075-050-044	TR		TR-35 (20' Tracks) - **ALI/ETL CERTIFIED**		74,925.00
075-050-048	TR		TR-35 (25' Tracks) - **ALI/ETL CERTIFIED**		77,800.00
075-050-052	TR		TR-35 (30' Tracks) - **ALI/ETL CERTIFIED**		80,675.00
035-035-000	TR		TR-35 (35' Tracks)		89,325.00
035-040-000	TR		TR-35 (40' Tracks)		95,000.00
035-045-000	TR		TR-35 (45' Tracks)		100,650.00
035-050-000	TR		TR-35 (50' Tracks)		106,350.00
035-060-000	TR		TR-35 (60' Tracks)	112,325.00	
075-060-002	TR		TR-35WT (20' Tracks) - **ALI/ETL CERTIFIED**		78,650.00
075-060-006	TR		TR-35WT (25' Tracks) - **ALI/ETL CERTIFIED**		82,175.00
075-060-010	TR		TR-35WT (30' Tracks) - **ALI/ETL CERTIFIED**		85,725.00
075-070-002	TR		TR-35N (20' Tracks) - **ALI/ETL CERTIFIED**		74,925.00
075-070-006	TR		TR-35N (25' Tracks) - **ALI/ETL CERTIFIED**		77,800.00
075-070-010	TR		TR-35N (30' Tracks) - **ALI/ETL CERTIFIED**		80,675.00

PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
075-050-045	TR		TR-50 (20' Tracks) -**ALI/ETL CERTIFIED**		84,975.00
075-050-049	TR		TR-50 (25' Tracks) - **ALI/ETL CERTIFIED**		87,050.00
075-050-053	TR		TR-50 (30' Tracks) - **ALI/ETL CERTIFIED**		89,950.00
050-035-000	TR		TR-50 (35' Tracks)		98,650.00
050-040-000	TR		TR-50 (40' Tracks)		104,350.00
050-045-000	TR		TR-50 (45' Tracks)		110,000.00
050-050-000	TR		TR-50 (50' Tracks)		115,675.00
050-060-000	TR		TR-50 (60' Tracks)		127,050.00
075-060-003	TR		TR-50WT (20' Tracks) - **ALI/ETL CERTIFIED**		88,700.00
075-060-007	TR		TR-50WT (25' Tracks) - **ALI/ETL CERTIFIED**		91,450.00
075-060-011	TR		TR-50WT (30' Tracks) - **ALI/ETL CERTIFIED**		95,000.00
075-070-003	TR		TR-50N (20' Tracks) -**ALI/ETL CERTIFIED**		84,975.00
075-070-007	TR		TR-50N (25' Tracks) - **ALI/ETL CERTIFIED**		87,050.00
075-070-012	TR		TR-50N (30' Tracks) - **ALI/ETL CERTIFIED**		89,950.00
075-050-046	TR		TR-75 (20' Tracks) - **ALI/ETL CERTIFIED**		91,925.00
075-050-050	TR		TR-75 (25' Tracks) - **ALI/ETL CERTIFIED**		94,625.00
075-050-054	TR		TR-75 (30' Tracks) - **ALI/ETL CERTIFIED**		97,400.00
075-060-004	TR		TR-70WT (20' Tracks) - **ALI/ETL CERTIFIED**		95,650.00
075-060-008	TR		TR-70WT (25' Tracks) - **ALI/ETL CERTIFIED**		99,025.00
075-060-012	TR		TR-70WT (30' Tracks) - **ALI/ETL CERTIFIED**		102,450.00
075-070-004	TR		TR-75N (20' Tracks) - **ALI/ETL CERTIFIED**		91,925.00
075-070-008	TR		TR-75N (25' Tracks) - **ALI/ETL CERTIFIED**		94,625.00
075-070-012	TR		TR-75N (30' Tracks) - **ALI/ETL CERTIFIED**		97,400.00
050-050-029	Option		RJ-50A Rolling Jack Beam ETL		8,500.00
035-003-032	Option		JP-50 Rolling Jack Platform		3,000.00
035-003-031	Option		RJ-50 Rolling Jack Beam		8,000.00
025-011-024	Option		Oil Drain Pan, 25 Gallon Capacity		1,500.00
050-011-083	Option		Drive Thru Ramps - Pivoting, TR-33,35/50/75 (24" wide)		3,150.00
075-011-055	Option		Drive Thru Ramps - Stationary -TR-33,35/50/75 (24" wide)		3,150.00
075-011-054	Option		Pivoting Ramps - TR-33,35/50/75		N/C
ZZ649-A	Option		Rollable Ramp , TR-33/35/50/75		4,050.00
050-011-098	Option		4' Longer Ramps , TR-33/35/50/75 (24")		3,150.00
075-011-021	Option		208-230 VAC, Single Phase TR33, 35 (5HP) NON-ALCTV		2,500.00
075-011-022	Option		208-230 VAC, Single Phase TR35, 50 (7.5HP)NON-ALCTV	2,725.00	
075-011-023	Option		440-460/480 VAC, 3 Phase TR33, 35, 50, 75 - ALCTV	N/C	
075-011-024	Option		575 VAC, 3 Phase TR33, 35, 50, 75 - NON-ALCTV	N/C	
075-011-025	Option		380 VAC, 3 Ph , TR33, TR35, TR50,TR75	1,200.00	
050-050-036	Option		Track Light Kit 20' **ALI/ETL CERTIFIED**		3,975.00
050-050-037	Option		Track Light Kit 25' **ALI/ETL CERTIFIED**		5,400.00
050-050-038	Option		Track Light Kit 30' **ALI/ETL CERTIFIED**		7,000.00
033-011-052	Option		Track Light & Outlet Kit 20' Tracks (Non-ETL)		2,500.00
033-011-053	Option		Track Light & Outlet Kit 25' Tracks (Non-ETL)		3,000.00
033-011-054	Option		Track Light & Outlet Kit 30' Tracks (Non-ETL)		3,700.00
050-011-055	Option		Track Airline (20') Tracks, for Big TR's		2,000.00
050-011-056	Option		Track Airline (25') Tracks, for Big TR's		2,000.00
050-011-057	Option		Track Airline (30') Tracks, for Big TR's		2,000.00
050-011-044	Option		Wider Crossrail - +12" - NON certified		1,500.00
075-011-050	Option		Alignment Cutouts - TR-33, 35, 50 -w/ tapped bases NON certified		4,000.00
075-011-020	Option		Obstacle Sensor Package, for TR33, 35, 50, 75		1,900.00
050-011-066	Option		Third Wheel Weldment 48" inside tracks (w/o ramp)		4,875.00
075-050-003	Option		Automatic Wheel Stop Assy (Flush Mounted Lifts)		450.00
050-000-113	Option		Base Plate for Shimming 3/4" (each) (requires longer anchor bolts)		350.00
033-011-062	Option		Base Plate for Shimming 3/4" (tapped base) (each)		700.00
050-011-053	Option		Track Dolly (set of 2)		1,950.00
075-011-012	Option		Console Caster Kit		N/C
075-060-014	Option		Drive Thru Ramps - Stationary, TR-33,35/50/75 (30") WT Version		4,200.00

PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
EXTRA HEAVY DUTY FOUR POST LIFTS					
085-030-000	TR	85,000 LBS.	TR-85 (30' Tracks)	35,000 LBS.	130,725.00
085-035-000	TR	85,000 LBS.	TR-85 (35' Tracks)	39,000 LBS.	142,000.00
085-040-000	TR	85,000 LBS.	TR-85 (40' Tracks)	43,000 LBS.	157,450.00
110-004-000	TR	110,000 LBS.	TR-110 (30' Tracks)	35,000 LBS.	201,950.00
110-032-000	TR	110,000 LBS.	TR-110 (32' Tracks)	36,000 LBS.	215,225.00
110-035-000	TR	110,000 LBS.	TR-110 (35' Tracks)	39,000 LBS.	218,800.00
110-040-000	TR	110,000 LBS.	TR-110 (40' Tracks)	43,000 LBS.	229,450.00
120-000-000	TR	120,000 LBS.	TR-120 (40' Tracks)	43,000 LBS.	232,025.00
075-075-000	Option		RJ-75 Rolling Jack Beam		9,500.00
085-030-050	Option		Drive Thru Ramps , TR-85, 110, 120 (10' long)		9,425.00
025-011-024	Option		Oil Drain Pan, 25 Gallon Capacity		1,500.00
050-050-036	Option		Track Light Kit 20'		3,975.00
050-050-037	Option		Track Light Kit 25'		5,400.00
050-050-038	Option		Track Light Kit 30'		7,000.00



PARALLELOGRAM LIFTS

P-000-A-028	P	38,000 LBS.	Parallelogram 38,000lb x 26' - Surface Mount **ALI/ETL CERTIFIED**		87,850.00
P-000-A-029	P	38,000 LBS.	Parallelogram 38,000lb x 26' - Flush Mount **ALI/ETL CERTIFIED**		89,525.00
P-000-A-010	P	36,000 LBS.	Parallelogram 36,000lb x 28' - Surface Mount **ALI/ETL CERTIFIED**		87,850.00
P-000-A-011	P	36,000 LBS.	Parallelogram 36,000lb x 28' - Flush Mount **ALI/ETL CERTIFIED**		89,525.00
P-000-A-012	P	40,000 LBS.	Parallelogram 40,000lb x 35' - Surface Mount **ALI/ETL CERTIFIED**		95,625.00
P-000-A-013	P	40,000 LBS.	Parallelogram 40,000lb x 35' - Flush Mount **ALI/ETL CERTIFIED**		97,425.00
P-000-A-030	P	45,000 LBS.	Parallelogram 45,000lb x 35' - Surface Mount **ALI/ETL CERTIFIED**		100,625.00
P-000-A-031	P	45,000 LBS.	Parallelogram 45,000lb x 35' - Flush Mount **ALI/ETL CERTIFIED**		102,425.00
P-000-A-000	P	50,000 LBS.	Parallelogram 50,000lb x 26' - Surface Mount - **ALI/ETL CERTIFIED**		92,775.00
P-000-A-001	P	50,000 LBS.	Parallelogram 50,000lb x 26' - Flush Mount - **ALI/ETL CERTIFIED**		94,575.00
P-000-A-006	P	50,000 LBS.	Parallelogram 50,000lb x 32' - Surface Mount **ALI/ETL CERTIFIED**		105,800.00
P-000-A-007	P	50,000 LBS.	Parallelogram 50,000lb x 32' - Flush Mount **ALI/ETL CERTIFIED**		107,825.00
P-000-A-016	P	50,000 LBS.	Parallelogram 50,000lb x 35' - Surface Mount **ALI/ETL CERTIFIED**		109,800.00
P-000-A-017	P	50,000 LBS.	Parallelogram 50,000lb x 35' - Flush Mount **ALI/ETL CERTIFIED**		111,825.00
P-000-A-034	P	50,000 LBS.	Parallelogram 50,000lb x 42' - Surface Mount **ALI/ETL CERTIFIED**		161,250.00
P-000-A-035	P	50,000 LBS.	Parallelogram 50,000lb x 42' - Flush Mount **ALI/ETL CERTIFIED**		163,950.00
P-000-A-008	P	50,000 LBS.	Parallelogram 50,000lb x 48' - Surface Mount **ALI/ETL CERTIFIED**		174,650.00
P-000-A-009	P	50,000 LBS.	Parallelogram 50,000lb x 48' - Flush Mount **ALI/ETL CERTIFIED**		178,000.00
P-000-A-002	P	75,000 LBS.	Parallelogram 75,000lb x 26' - Surface Mount **ALI/ETL CERTIFIED**		108,250.00
P-000-A-003	P	75,000 LBS.	Parallelogram 75,000lb x 26' - Flush Mount **ALI/ETL CERTIFIED**		110,450.00
P-000-A-004	P	75,000 LBS.	Parallelogram 75,000lb x 30' - Surface Mount **ALI/ETL CERTIFIED**		114,250.00
P-000-A-005	P	75,000 LBS.	Parallelogram 75,000lb x 30' - Flush Mount **ALI/ETL CERTIFIED**		116,450.00
P-000-A-018	P	75,000 LBS.	Parallelogram 75,000lb x 35' - Surface Mount **ALI/ETL CERTIFIED**		123,050.00
P-000-A-019	P	75,000 LBS.	Parallelogram 75,000lb x 35' - Flush Mount **ALI/ETL CERTIFIED**		125,600.00
P-000-A-026	P	75,000 LBS.	Parallelogram 75,000lb x 42' - Surface Mount **ALI/ETL CERTIFIED**		184,150.00
P-000-A-027	P	75,000 LBS.	Parallelogram 75,000lb x 42' - Flush Mount **ALI/ETL CERTIFIED**		186,500.00
P-000-A-020	P	75,000 LBS.	Parallelogram 75,000lb x 48' - Surface Mount **ALI/ETL CERTIFIED**		187,525.00
P-000-A-021	P	75,000 LBS.	Parallelogram 75,000lb x 48' - Flush Mount **ALI/ETL CERTIFIED**		189,725.00
P-000-A-022	P	100,000 LBS.	Parallelogram 100,000lb x 42' - Surface Mount **ALI/ETL CERTIFIED**		185,425.00
P-000-A-023	P	100,000 LBS.	Parallelogram 100,000lb x 42' - Flush Mount **ALI/ETL CERTIFIED**		188,825.00
P-000-A-024	P	100,000 LBS.	Parallelogram 100,000lb x 48' - Surface Mount **ALI/ETL CERTIFIED**		197,850.00
P-000-A-025	P	100,000 LBS.	Parallelogram 100,000lb x 48' - Flush Mount **ALI/ETL CERTIFIED**		199,025.00

PARALLELOGRAM LIFTS-OPTIONS

P-500-A-000	Option		RJ-50-P Air/Hyd Rolling Jack Beam	11,000.00
P-500-A-003	Option		RJ-25-P Air/Hyd Rolling Jack Beam	10,000.00
P-500-A-004	Option		JP-25-P Rolling Jack Platform	5,000.00
P-500-A-002	Option		JP-50-Rolling Jack Platform	5,000.00
P-800-A-009	Option		Drive Thru Ramps	3,150.00
P-800-A-000	Option		Track Lighting 26'	4,775.00
P-800-A-002	Option		Track Lighting 28'	4,775.00
P-800-A-003	Option		Track Lighting 30'	5,875.00
P-800-A-004	Option		Track Lighting 32'	5,875.00
P-800-A-005	Option		Track Lighting 35'	7,350.00
P-800-A-006	Option		Track Lighting 42'	7,500.00



PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
P-800-A-007	Option		Track Lighting 48'		8,000.00
P-800-A-032	Option		Track Lighting 26' (Class I, Div II)		5,600.00
P-800-A-033	Option		Track Lighting 28' (Class I, Div II)		5,800.00
P-800-A-034	Option		Track Lighting 30' (Class I, Div II)		7,000.00
P-800-A-035	Option		Track Lighting 32' (Class I, Div II)		7,500.00
P-800-A-036	Option		Track Lighting 35' (Class I, Div II)		8,500.00
P-800-A-037	Option		Track Lighting 42' (Class I, Div II)		9,600.00
P-800-A-038	Option		Track Lighting 48' (Class I, Div II)		10,000.00
P-800-A-019	Option		440-480 Volt 3 Phase		N/C
P-800-A-018	Option		575-600 Volt 3 Phase		1,000.00
P-800-A-011	Option		Tapeswitch Option, 26' Tracks		2,600.00
P-800-A-012	Option		Tapeswitch Option, 28' Tracks		2,800.00
P-800-A-013	Option		Tapeswitch Option, 30' Tracks		3,000.00
P-800-A-014	Option		Tapeswitch Option, 32' Tracks		3,200.00
P-800-A-015	Option		Tapeswitch Option, 35' Tracks		3,500.00
P-800-A-016	Option		Tapeswitch Option, 42' Tracks		4,200.00
P-800-A-017	Option		Tapeswitch Option, 48' Tracks		4,800.00
P-500-A-001	Option		Rolling Dolly for Jack Beam Removal		2,750.00
P-800-A-020	Option		Longer Additional Hose&Wiring from console to lift (per foot) (needed for console 20+ feet away from lift)		100.00
P-800-A-022	Option		Wash Bay Kit -4 Leg Lift- Stainless Steel Bases, Stringers, Anchors, & Special Paint		9,725.00
P-800-A-023	Option		Wash Bay Kit -6 Leg Lift- Stainless Steel Bases, Stringers, Anchors, & Special Paint		12,075.00
P-800-A-024	Option		Wash Bay Kit -8 Leg Lift- Stainless Steel Bases, Stringers, Anchors, & Special Paint		14,750.00
P-800-A-025	Option		Wash Bay Kit -4 Leg Lift- Special Paint & Stainless Anchors Only		2,925.00
P-800-A-026	Option		Wash Bay Kit -6 Leg Lift- Special Paint & Stainless Anchors Only		3,325.00
P-800-A-027	Option		Wash Bay Kit -8 Leg Lift- Special Paint & Stainless Anchors Only		4,025.00
P-800-A-042	Option		Galvanized Parallelogram Lift Option - 4 Leg Lift		47,150.00
P-800-A-043	Option		Galvanized Parallelogram Lift Option - 6 Leg Lift		50,000.00
P-800-A-044	Option		Galvanized Parallelogram Lift Option - 8 Leg Lift		54,850.00

MOHAWK MOBILE COLUMN LIFTS



MOHAWK MOBILE COLUMN LIFTS - MP18-AC


MP-0000-A-005	M	36,000 LBS.	MP-18-005 -2 Columns 36k Capacity ALL (15" Forks) - **ALI/ETL CERTIFIED**		21,000.00
MP-0000-A-006	M	72,000 LBS.	MP-18-006 -4 Columns 72k Capacity ALL (15" Forks) - **ALI/ETL CERTIFIED**		42,000.00
MP-0000-A-007	M	108,000 LBS.	MP-18-007 -6 Columns 108k Capacity ALL (15" Forks) - **ALI/ETL CERTIFIED**		63,025.00
MP-0000-A-008	M	144,000 LBS.	MP-18-008 -8 Columns 144k Capacity ALL (15" Forks) - **ALI/ETL CERTIFIED** - High Voltage Only		84,025.00
MP-0000-A-063	M	108,000 LBS.	MP-18-063 -6 Columns 108k Capacity - WIDER Columns on All (15" Forks)		63,025.00
MP-0000-A-013	M	32,000 LBS.	MP-18-013 -2 Columns 32k Capacity - WIDER & LONGER ALL (22" Forks) - **ALI/ETL CERTIFIED**		24,075.00
MP-0000-A-014	M	64,000 LBS.	MP-18-014 -4 Columns 64k Capacity - WIDER & LONGER ALL (22" Forks) - **ALI/ETL CERTIFIED**		48,175.00
MP-0000-A-015	M	96,000 LBS.	MP-18-015 -6 Columns 96k Capacity - WIDER & LONGER ALL (22" Forks) - **ALI/ETL CERTIFIED**		72,275.00
MP-0000-A-016	M	128,000 LBS.	MP-18-016 -8 Columns 128k Capacity - WIDER & LONGER ALL (22" Forks) - High Voltage Only -**AL		96,375.00
MP-0000-A-030	M	68,000 LBS.	MP-18-030 -4 Columns 68k Capacity - 15" Forks on 1,2 - LONGER & WIDER (22") on 3,4 - **ALI/ETL CERTIFIED		45,100.00
MP-0000-A-058	M	104,000 LBS.	MP-18-058 -6 Columns 104k Capacity - 15" Forks on 1,2,3,4 - LONGER & Wider (22") on 5,6 - **ALI/ETL CERTIFIED		66,100.00
MP-0000-A-059	M	100,000 LBS.	MP-18-059 -6 Columns 100k Capacity - 15" Forks on 1,2 - LONGER & Wider (22") on 3,4,5,6 - **ALI/ETL CERTIFIED		69,175.00
MP-0000-A-060	M	140,000 LBS.	MP-18-060 -8 Columns 140k Capacity - 15" Forks on 1,2,3,4,5,6 - LONGER & Wider (22") on 7,8 - High Voltage		87,125.00
MP-0000-A-061	M	136,000 LBS.	MP-18-061 -8 Columns 136k Capacity - 15" Forks on 1,2,3,4 - LONGER & Wider (22") on 5,6,7,8 - High Voltage		90,200.00
MP-0000-A-062	M	132,000 LBS.	MP-18-062 -8 Columns 132k Capacity - 15" Forks on 1,2 - LONGER & Wider (22") on 3,4,5,6,7,8 - High Voltage		93,275.00
MP-0000-A-056	M	72,000 LBS.	MP-18 -056 -4 Columns 72k Capacity MP-18-4-72T, Special Tandem Rear Axles (15" Forks) ALL		56,000.00
MP-0000-A-057	M	64,000 LBS.	MP-18-057 -4 Columns 64k Cap MP-18-4-64TLW, 22" Long and wider Forks on 1,2-Special Tandem Rear Axles (22" Forks and		64,150.00
MP-0000-A-031	M	68,000 LBS.	MP-18-031 -4 Columns 68k Capacity MP-18-4-68T, 15" Forks on 1,2 - Special Tandem Rear Axles (22" Forks) on		61,050.00

MOHAWK MOBILE COLUMN LIFTS- MP24-AC


MP-0000-A-032	M	48,000 LBS.	MP-24-2-48 Final Assy - STANDARD ALL (15" Forks) - **ALI/ETL CERTIFIED**		36,025.00
MP-0000-A-033	M	96,000 LBS.	MP-24-4-96 Final Assy - STANDARD ALL (15" Forks) - **ALI/ETL CERTIFIED**		72,050.00
MP-0000-A-034	M	144,000 LBS.	MP-24-6-144 Final Assy - STANDARD ALL (15" Forks) - **ALI/ETL CERTIFIED**		108,125.00

PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
MP-0000-A-035	M	192,000 LBS.	MP-24-8-192 Final Assy - STANDARD ALL (15" Forks) - High Voltage Only - **ALI/ETL CERTIFIED**		144,150.00
MP-0000-A-036	M	44,000 LBS.	MP-24-2-44 Final Assy - STANDARD ALL (22" Forks) - **ALI/ETL CERTIFIED**		38,275.00
MP-0000-A-037	M	88,000 LBS.	MP-24-4-88 Final Assy - STANDARD ALL (22" Forks) - **ALI/ETL CERTIFIED**		76,550.00
MP-0000-A-038	M	132,000 LBS.	MP-24-6-132 Final Assy - STANDARD ALL (22" Forks) - **ALI/ETL CERTIFIED**		114,825.00
MP-0000-A-039	M	176,000 LBS.	MP-24-8-176 Final Assy - STANDARD ALL (22" Forks) - High Voltage Only - **ALI/ETL CERTIFIED**		153,125.00
MP-0000-A-048	M	92,000 LBS.	MP-24-4-92 Final Assy - 15" Forks on 1,2 - LONGER (22") on 3,4 - **ALI/ETL CERTIFIED**		74,300.00
MP-0000-A-049	M	140,000 LBS.	MP-24-6-140 Final Assy - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6 - **ALI/ETL CERTIFIED**		110,350.00
MP-0000-A-050	M	136,000 LBS.	MP-24-6-136 Final Assy - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6 - **ALI/ETL CERTIFIED**		112,575.00
MP-0000-A-051	M	188,000 LBS.	MP-24-8-188 Final Assy - 15" Forks on 1,2,3,4,5,6 - LONGER (22") on 7,8 - High Voltage Only - **ALI/ETL CERTIFIED**		146,400.00
MP-0000-A-052	M	184,000 LBS.	MP-24-8-184 Final Assy - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6,7,8 - High Voltage Only - **ALI/ETL CERTIFIED**		148,625.00
MP-0000-A-053	M	180,000 LBS.	MP-24-8-180 Final Assy - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6,7,8 - High Voltage Only - **ALI/ETL CERTIFIED**		150,875.00

MOHAWK MOBILE COLUMN LIFTS - MP30-AC

MP-0000-A-040	M	60,000 LBS.	MP-30-2-60 Final Assy - STANDARD ALL (15" Forks) - **ALI/ETL CERTIFIED**		45,025.00
MP-0000-A-041	M	120,000 LBS.	MP-30-4-120 Final Assy - STANDARD ALL (15" Forks) - **ALI/ETL CERTIFIED**		90,075.00
MP-0000-A-042	M	180,000 LBS.	MP-30-6-180 Final Assy - STANDARD ALL (15" Forks) - **ALI/ETL CERTIFIED**		135,125.00
MP-0000-A-043	M	240,000 LBS.	MP-30-8-240 Final Assy - STANDARD ALL (15" Forks) - High Voltage Only - **ALI/ETL CERTIFIED**		180,175.00
MP-0000-A-044	M	104,000 LBS.	MP-30-4-104 Final Assy - 15" Forks on 1,2 - LONGER (22") on 3,4 - **ALI/ETL CERTIFIED**		83,325.00
MP-0000-A-045	M	164,000 LBS.	MP-30-6-164 Final Assy - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6 - **ALI/ETL CERTIFIED**		128,375.00
MP-0000-A-046	M	148,000 LBS.	MP-30-6-148 Final Assy - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6 - **ALI/ETL CERTIFIED**		121,600.00
MP-0000-A-047	M	224,000 LBS.	MP-30-8-224 Final Assy - 15" Forks on 1,2,3,4,5,6 - LONGER (22") on 7,8 - High Voltage Only - **ALI/ETL CERTIFIED**		173,425.00
MP-0000-A-054	M	208,000 LBS.	MP-30-8-208 Final Assy - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6,7,8 - High Voltage Only - **ALI/ETL CERTIFIED**		166,650.00
MP-0000-A-055	M	192,000 LBS.	MP-30-8-192 Final Assy - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6,7,8 - High Voltage Only - **ALI/ETL CERTIFIED**		159,875.00

MP-18 DC MOBILE COLUMN LIFTS

MP-0000-A-505	M	36,000 LBS.	DC MP-18-505 -2 Columns 36k Capacity ALL (15" Forks) **ALI/ETL CERTIFIED**		25,800.00
MP-0000-A-506	M	72,000 LBS.	DC MP-18-506 -4 Columns 72k Capacity ALL (15" Forks) **ALI/ETL CERTIFIED**		51,600.00
MP-0000-A-507	M	108,000 LBS.	DC MP-18-507 -6 Columns 108k Capacity ALL (15" Forks) **ALI/ETL CERTIFIED**		77,400.00
MP-0000-A-508	M	144,000 LBS.	DC MP-18-508 -8 Columns 144k Capacity ALL (15" Forks) **ALI/ETL CERTIFIED**		103,175.00
MP-0000-A-513	M	32,000 LBS.	DC MP-18-513 -2 Columns 32k Capacity - WIDER & LONGER ALL (22" Forks) **ALI/ETL CERTIFIED**		28,875.00
MP-0000-A-514	M	64,000 LBS.	DC MP-18-514 -4 Columns 64k Capacity - WIDER & LONGER ALL (22" Forks) **ALI/ETL CERTIFIED**		57,750.00
MP-0000-A-515	M	96,000 LBS.	DC MP-18-515 -6 Columns 96k Capacity - WIDER & LONGER ALL (22" Forks) **ALI/ETL CERTIFIED**		86,625.00
MP-0000-A-516	M	128,000 LBS.	DC MP-18-516 -8 Columns 128k Capacity - WIDER & LONGER ALL (22" Forks) **ALI/ETL CERTIFIED**		115,500.00
MP-0000-A-530	M	68,000 LBS.	DC MP-18-530 -4 Columns 68k Capacity - 15" Forks on 1,2 - LONGER & WIDER (22") on 3,4 **ALI/ETL CERTIFIED**		54,675.00
MP-0000-A-558	M	104,000 LBS.	DC MP-18-558 -6 Columns 104k Capacity - 15" Forks on 1,2,3,4 - LONGER & Wider (22") on 5,6 **ALI/ETL CERTIFIED**		80,475.00
MP-0000-A-559	M	100,000 LBS.	DC MP-18-559 -6 Columns 100k Capacity - 15" Forks on 1,2 - LONGER & Wider (22") on 3,4,5,6 **ALI/ETL CERTIFIED**		83,550.00
MP-0000-A-560	M	140,000 LBS.	DC MP-18-560 -8 Columns 140k Capacity - 15" Forks on 1,2,3,4,5,6 - LONGER & Wider (22") on 7,8 **ALI/ETL CERTIFIED**		106,275.00
MP-0000-A-561	M	136,000 LBS.	DC MP-18-561 -8 Columns 136k Capacity - 15" Forks on 1,2,3,4 - LONGER & Wider (22") on 5,6,7,8 **ALI/ETL CERTIFIED**		109,350.00
MP-0000-A-562	M	132,000 LBS.	DC MP-18-562 -8 Columns 132k Capacity - 15" Forks on 1,2 - LONGER & Wider (22") on 3,4,5,6,7,8 **ALI/ETL CERTIFIED**		112,450.00
MP-0000-A-531	DC		DC MP-18-531 - 15" Forks on 1,2 - TANDEM & LONGER (22") on 3,4		70,650.00
MP-0000-A-556	DC	72,000 LBS.	DC MP-18-4-72T - 15" Forks on 1,2 - TANDEM (15") on 3,4		70,025.00
MP-0000-A-557	DC	64,000 LBS.	DC MP-18-4-64T - 22" Forks on 1,2 - TANDEM & LONGER (22") on 3,4		73,700.00
MP-0000-A-563	DC	108,000 LBS.	DC MP-18-6-108 - 15" WIDER Forks on 1,2,3,4,5,6		77,400.00

MP-24 DC MOBILE COLUMN LIFTS

MP-0000-A-532	DC	48,000 LBS.	DC MP-24-2-48 - STANDARD ALL (15" Forks)		45,025.00
MP-0000-A-533	DC	96,000 LBS.	DC MP-24-4-96 - STANDARD ALL (15" Forks)		90,075.00
MP-0000-A-534	DC	144,000 LBS.	DC MP-24-6-144 - STANDARD ALL (15" Forks)		135,125.00
MP-0000-A-535	DC	192,000 LBS.	DC MP-24-8-192 - STANDARD ALL (15" Forks)		180,175.00
MP-0000-A-536	DC	44,000 LBS.	DC MP-24-2-44 - STANDARD ALL (22" Forks)		47,275.00
MP-0000-A-537	DC	88,000 LBS.	DC MP-24-4-88 - STANDARD ALL (22" Forks)		94,550.00
MP-0000-A-538	DC	132,000 LBS.	DC MP-24-6-132 - STANDARD ALL (22" Forks)		141,850.00
MP-0000-A-539	DC	176,000 LBS.	DC MP-24-8-176 - STANDARD ALL (22" Forks)		189,150.00
MP-0000-A-548	DC	92,000 LBS.	DC MP-24-4-92 - 15" Forks on 1,2 - LONGER (22") on 3,4		92,325.00
MP-0000-A-549	DC	140,000 LBS.	DC MP-24-6-140 - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6		137,375.00
MP-0000-A-550	DC	136,000 LBS.	DC MP-24-6-136 - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6		139,625.00
MP-0000-A-551	DC	188,000 LBS.	DC MP-24-8-188 - 15" Forks on 1,2,3,4,5,6 - LONGER (22") on 7,8		182,425.00
MP-0000-A-552	DC	184,000 LBS.	DC MP-24-8-184 - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6,7,8		184,675.00
MP-0000-A-553	DC	180,000 LBS.	DC MP-24-8-180 - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6,7,8		186,900.00

PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
-------	------	----------	-------------	--------	------------

MP-30 DC MOBILE COLUMN LIFTS

MP-0000-A-540	DC	60,000 LBS.	DC MP-30-2-60 - STANDARD ALL (15" Forks)		56,300.00
MP-0000-A-541	DC	120,000 LBS.	DC MP-30-4-120 - STANDARD ALL (15" Forks)		112,600.00
MP-0000-A-542	DC	180,000 LBS.	DC MP-30-6-180 - STANDARD ALL (15" Forks)		168,925.00
MP-0000-A-543	DC	240,000 LBS.	DC MP-30-8-240 - STANDARD ALL (15" Forks)		225,225.00
MP-0000-A-544	DC	104,000 LBS.	DC MP-30-4-104 - 15" Forks on 1,2 - LONGER (22") on 3,4		103,575.00
MP-0000-A-545	DC	164,000 LBS.	DC MP-30-6-164 - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6		159,900.00
MP-0000-A-546	DC	148,000 LBS.	DC MP-30-6-148 - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6		150,875.00
MP-0000-A-547	DC	224,000 LBS.	DC MP-30-8-224 - 15" Forks on 1,2,3,4,5,6 - LONGER (22") on 7,8		216,200.00
MP-0000-A-554	DC	208,000 LBS.	DC MP-30-8-208 - 15" Forks on 1,2,3,4 - LONGER (22") on 5,6,7,8		207,200.00
MP-0000-A-555	DC	192,000 LBS.	DC MP-30-8-192 - 15" Forks on 1,2 - LONGER (22") on 3,4,5,6,7,8		198,175.00

MOBILE COLUMN LIFTS- OPTIONS

MP-2600-A-001	Option		208-230 VAC, Single Phase (2 Post Lift) (All AC Models)		400.00
MP-2600-A-002	Option		208-230 VAC, Single Phase (4 Post Lift) (All AC Models)		800.00
MP-2600-A-003	Option		208-230 VAC, Single Phase (6 Post Lift) (All AC Models)		1,200.00
MP-2600-A-004	Option		440-480 VAC, Three Phase (2 Post Lift) (All AC Models)		N/C
MP-2600-A-005	Option		440-480 VAC, Three Phase (4 Post Lift) (All AC Models)		N/C
MP-2600-A-006	Option		440-480 VAC, Three Phase (6 Post Lift) (All AC Models)		N/C
MP-2600-A-007	Option		440-480 VAC, Three Phase (8 Post Lift) (All AC Models)		N/C
MP-2600-A-008	Option		550-600 VAC, Three Phase (2 Post Lift) (All AC Models)		725.00
MP-2600-A-009	Option		550-600 VAC, Three Phase (4 Post Lift) (All AC Models)		1,450.00
MP-2600-A-010	Option		550-600 VAC, Three Phase (6 Post Lift) (All AC Models)		2,175.00
MP-2600-A-011	Option		550-600 VAC, Three Phase (8 Post Lift) (All AC Models)		2,900.00
MP-1300-A-020	Option		Hand Pendant - MP (Certified) Explosion Proof (All AC and DC Models)		1,500.00
MP-1300-A-015	Option		Hand Pendant - MP - Non Certified (All AC and DC Models)		500.00
601-150-082	Option		Communication Cable (per foot) without Connectors (All AC Models)		25.00
601-150-075	Option		Power Cord (per foot) without Connectors Maximum Length = 100 Feet (All AC Models)		15.00
MP-1300-A-006	Option		Extra Power Cord Assy with hooded connector and plug (Three Phase)- 25' (All AC Models)		500.00
MP-1300-A-005	Option		Extra Communication Cable Assy For MP- Mobile Length = 35 Feet (All AC Models)		725.00
MP-2600-A-023	Option		Extra Set Of Dummy Plugs (1 ea Dummy Plug - Yellow (A) & Dummy Plug - Red (B)) (All AC Models)		350.00
MP-2600-A-018	Option		Descent Alarm Option, (2-Post Lift) (All AC Models)		400.00
MP-2600-A-019	Option		Descent Alarm Option, (4-Post Lift) (All AC Models)		800.00
MP-2600-A-020	Option		Descent Alarm Option, (6-Post Lift) (All AC Models)		1,200.00
MP-2600-A-021	Option		Descent Alarm Option, (8-Post Lift) (All AC Models)		1,600.00
601-440-009	Option		Weight Gauge (MP18 only) (AC or DC) - Suggest (1) Per Column		125.00
MP-2100-A-006	Option		Auto Frame Contact Adapters - For Mohawk MP18 - 15" Forks Only (AC or DC)		3,000.00
MP-2100-A-010	Option		Auto Frame Contact Adapters - For Mohawk MP18 - 22" Forks Only (AC or DC)		3,500.00
MP-2200-A-001	Option		Fork Truck Adapter Kit - For Mohawk MP18 - 15" Forks (AC or DC)		4,100.00
MP-2200-A-002	Option		Fork Truck Adapter Kit (for 3 wheeled units) - Mohawk MP18 - 15" Forks (AC or DC)		5,500.00
MP-2200-A-003	Option		Fork Truck Adapter Kit - For Mohawk MP18 - 22" Forks Longer Wider Only (AC or DC)		5,000.00
MP-2300-A-001	Option		Chassis Lifting Beam Kit 35,000 lb capacity- For Mohawk MP18 - 15" Forks and 22" Forks (AC or DC)		2,225.00
MP-2400-A-001	Option		Wing Plow Beam Kit - For Mohawk MP18 - 15" Forks (AC or DC)		4,800.00
MP-2400-A-003	Option		RV Slide Out Adapter Kit - For Mohawk MP18 - 15" Forks (AC or DC)		4,800.00
MP-2400-A-011	Option		Wing Plow Beam Kit - For Mohawk MP18 - 22" Forks (AC or DC)		5,000.00
MP-2400-A-013	Option		RV Slide Out Adapter Kit - For Mohawk MP18 - 22" Forks (AC or DC)		5,000.00
MP-2500-A-006	Option		USAF Generator Adapter Kit - For Mohawk MP18 - 15" Forks (AC or DC)		3,000.00
MP-2500-A-004	Option		HMMWV Adapter Kit - For Mohawk MP18 - 15" Forks (AC or DC)		3,000.00
MP-2500-A-007	Option		USAF Generator Adapter Kit - For Mohawk MP18 - 22" Forks (AC or DC)		3,200.00
MP-2500-A-005	Option		HMMWV Adapter Kit - For Mohawk MP18 - 22" Forks (AC or DC)		3,200.00
MP-2300-A-006	Option		Chassis Lifting Beam - (MP24 or MP30) - 15" Forks (AC or DC)		2,225.00
MP-2900-A-002	Option		Slope Indicator (AC or DC) - Suggest (1) Per Column		40.00
601-160-220	Option		Communication Cable Assy x 30' lg - DC (all DC Models)		375.00
MP-5100-A-022	Option		Weight Sensor Option - DC (MP18 - DC only) - per column- displays total weight of lift or by column		500.00
601-160-218	Option		Dummy Plug - DC (all DC Models)		75.00
MP-5100-A-032	Option		Cable Reel Option DC Mobile - Per Column (note 3 reels for 4 column, etc) - new		700.00
MP-5100-A-034	Option		Cable Reel Option DC Mobile - Per Column (note 3 reels for 4 column, etc) - for add on		1,000.00
601-160-261	Option		Work Light, 6 High Output LED's Magnetic Mounting, Cord w/ 12V DC Plug-in Adapter -each- (all DC Models)		250.00

PART#	TYPE	CAPACITY	DESCRIPTION	WEIGHT	LIST PRICE
-------	------	----------	-------------	--------	------------

Specialty Items

			JACK STANDS		
JS-400-A-002	JS		MJS-18-1830 HD Jack Stand		1,000.00
JS-000-A-005	JS		MJS-18-3047 HD Jack Stand		1,350.00
JS-000-A-001	JS		MJS-18-4775 HD Jack Stand **ALI/ETL CERTIFIED**		1,425.00
JS-400-A-003	JS		MJS-24-1830 HD Jack Stand		1,325.00
JS-000-A-006	JS		MJS-24-3047 HD Jack Stand		1,650.00
JS-000-A-004	JS		MJS-24-4775 HD Jack Stand **ALI/ETL CERTIFIED**		1,700.00
JS-000-A-003	JS		Yoke Pad - for HD Models only		75.00
601-700-023	JS		MJS-30-3047 Jack Stand		1,600.00
601-700-024	JS		MJS-30-4775 Jack Stand		1,625.00
			TIRE DOLLIES		
TD-100-A-001	TD		TD-1000-P, Tire Dolly, Counter Balanced		7,800.00
601-700-022	TD		TD-1000-AH-N, Tire Dolly, Air/Hyd		4,150.00
TD-000-A-001	TD		TD-2000-AH, Tire Dolly, Air/Hyd		7,600.00
			TRANSMISSION JACKS, SCISSOR TABLE, MISCELLANEOUS		
601-700-025	ACC		Scissor Table, 2,000 lb, Air/Hyd		6,725.00
601-700-009	TJ		CT-1000 Trans Jack		1,575.00
601-700-006	TJ		TJ-2000-FP Trans Jack		2,950.00
601-700-007	TJ		TJ-2000-AH Trans Jack, Air / Hyd		3,275.00
			ACCESSORY ITEMS		
602-013-518	ACC		Self Evacuating Portable Oil Drain - 23 Gallon		1,200.00
601-160-266	ACC		Magnetic LED Worklight (includes 3 "AAA" batteries)		30.00



HEAVY DUTY IN GROUND LIFTS

602-008-001	IG	55,000 LBS.	Multiflex Model 230 55,000 lbs **ALI/ETL CERTIFIED**		100,400.00
602-008-007	IG	55,000 LBS.	Multiflex Model 230- Composite 66 - 55,000 lbs **ALI/ETL CERTIFIED**		158,875.00
602-008-002	IG	66,000 LBS.	Multiflex Model 300 66,000 lbs **ALI/ETL CERTIFIED**		102,900.00
602-008-008	IG	66,000 LBS.	Multiflex Model 300 - Composite 66 - 66,000 lbs **ALI/ETL CERTIFIED**		161,375.00
602-008-005	IG	82,500 LBS.	Multiflex Model 345 82,500 lbs		129,975.00
602-008-006	IG	99,000 LBS.	Multiflex Model 450 99,000 lbs		135,375.00
602-008-003	IG-Option		Swing Arms (Set of 4) (Converts to Single Post Lift)		9,925.00
602-008-009	IG-Option		RCLP-1 Custom Frame length to fit existing pit & wheelbases up to 300"		4,875.00
602-008-010	IG-Option		RCR-10 Composit rear container 22"x60"		13,250.00
602-008-011	IG-Option		RCFC-100 Customized front cylinder to fit existing pit (standard length 97")		2,925.00



MOHAWK WARRANTIES

EFFECTIVE DATE: 5/1/2011 *

GENERAL WARRANTY INFORMATION:

MOHAWK'S OBLIGATION UNDER THIS WARRANTY IS LIMITED TO REPAIRING OR REPLACING ANY PART OR PARTS RETURNED TO THIS FACTORY, TRANSPORTATION CHARGES PREPAID, WHICH PROVE UPON INSPECTION TO BE DEFECTIVE AND WHICH HAVE NOT BEEN MISUSED. DAMAGE OR FAILURE TO ANY PART DUE TO FREIGHT DAMAGE OR FAULTY MAINTENANCE IS NOT COVERED UNDER THIS WARRANTY. ALL WARRANTY CLAIMS MUST BE PERFORMED IN ACCORDANCE TO MOHAWK'S WARRANTY PARTS RETURN POLICY (CONTACT MOHAWK'S SERVICE DEPARTMENT FOR MORE INFORMATION). THIS WARRANTY DOES NOT COVER MIS-DIAGNOSING OF UNIT OR PARTS RETURNED THAT ARE NON-DEFECTIVE. THIS WARRANTY DOES NOT COVER ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, LOST REVENUES OR BUSINESS HARM. THIS EQUIPMENT HAS BEEN DESIGNED FOR USE IN NORMAL COMMERCIAL VEHICLE MAINTENANCE APPLICATIONS. A SPECIFIC INDIVIDUAL WARRANTY MUST BE ISSUED FOR UNITS THAT DEVIATE FROM INTENDED USAGE, SUCH AS HIGH CYCLE USAGE IN INDUSTRIAL APPLICATIONS, OR USAGE IN EXTREMELY ABUSIVE ENVIRONMENTS, ETC.. MOHAWK RESERVES THE RIGHT TO DECLINE RESPONSIBILITY WHEN REPAIRS HAVE BEEN MADE OR ATTEMPTED BY OTHERS. THIS WARRANTY DOES NOT COVER LABOR. THIS WARRANTY DOES NOT COVER DOWNTIME EXPENSES INCURRED WHEN UNIT IS IN REPAIR. THE MODEL NAME AND SERIAL NUMBER OF THE EQUIPMENT MUST BE FURNISHED WITH ALL WARRANTY CLAIMS. THIS WARRANTY STATEMENT CONTAINS THE ENTIRE AGREEMENT BETWEEN MOHAWK RESOURCES LTD. AND THE PURCHASER UNLESS OTHERWISE SPECIFICALLY EXPRESSED IN WRITING. THIS NON-TRANSFERABLE WARRANTY APPLIES TO THE ORIGINAL PURCHASER ONLY. THIS WARRANTY IS APPLICABLE TO UNITS LOCATED ONLY IN THE UNITED STATES OF AMERICA AND CANADA. CONTACT MOHAWK RESOURCES LTD. FOR SPECIFIC WARRANTY PROVISIONS FOR UNITS LOCATED OUTSIDE OF THESE COUNTRIES.

STRUCTURAL COMPONENTS (ALL LIFTS):

STRUCTURAL AND MECHANICAL COMPONENTS OF THIS UNIT ARE GUARANTEED FOR THE BELOW STATED TIME FRAME, SPECIFIC TO MODEL LISTED, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

25-YEARS STRUCTURAL / 10 YEARS MECHANICAL: MODELS A-7, SYSTEM IA-10, LMF-12, TP-16, TP-18, TP-20, TP-26, TP-30, & TL-7. STRUCTURAL ITEMS COVERED INCLUDE LEG, CARRIAGE, SWING ARM AND SLIDER WELDMENTS. MECHANICAL ITEMS COVERED INCLUDE ROLLER BEARINGS AND LIFTING CHAIN.

5-YEAR: MODELS LC-12, LC-12-3SA

3-YEAR: MODELS TR-19, TR-25, FL-25, TR-30, TR-33, TR-35, TR-50, TR-75, TR-110, TR-120, MP-SERIES, RP-SERIES LIFTS.

2-YEAR: MODELS PARALLELOGRAM SERIES LIFTS.

1-YEAR: MODELS TD-1000, TD-2000, CT-1000, USL-6000.

POWER UNIT (ALL LIFTS):

ALL POWER UNIT COMPONENTS (MOTOR, PUMP AND RESERVOIR) ARE GUARANTEED FOR TWO YEARS FOR PARTS, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN THE LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

HYDRAULIC CYLINDERS (MODEL SPECIFIC LIFTS):

SEE MOHAWK'S "EXTENDED LIFETIME CYLINDER WARRANTY" FOR SPECIFIC WARRANTY PROVISIONS FOR HYDRAULIC CYLINDERS. THE "EXTENDED LIFETIME CYLINDER WARRANTY" IS APPLICABLE TO THE FOLLOWING MOHAWK LIFTS ONLY: A-7, SYSTEM IA-10, LMF-12, TP-16, TP-18, TP-20, TP-26, TP-30. ALL OTHER MODELS ARE GUARANTEED FOR TWO YEARS PARTS, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN THE LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

ELECTRICAL COMPONENTS (ALL LIFTS):

ALL ELECTRICAL COMPONENTS (EXCLUDING MOTOR) ARE GUARANTEED FOR ONE YEAR FOR PARTS, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN THE LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

PNEUMATIC-AIR COMPONENTS (ALL LIFTS):

ALL PNEUMATIC (AIR) COMPONENTS (I.E. AIR CYLINDERS AND POPPET AIR VALVES) ARE GUARANTEED FOR ONE YEAR FOR PARTS, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN THE LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

STANDARD OPTIONS (ALL LIFTS):

ALL STANDARD OPTIONS OF THIS UNIT ARE GUARANTEED FOR ONE YEAR FOR PARTS, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

SPECIAL AND/OR CUSTOMIZED LIFTS AND OPTIONS:

ALL "SPECIAL" LIFTS AND/OR "CUSTOMIZED" OPTIONS ON THIS UNIT ARE GUARANTEED FOR ONE YEAR FOR PARTS, FROM THE DATE OF INVOICE, AGAINST DEFECTS IN WORKMANSHIP AND/OR MATERIALS WHEN THE LIFT IS INSTALLED AND USED ACCORDING TO SPECIFICATIONS.

WARRANTY EXCEPTIONS (ALL LIFTS):

ADJUSTMENTS: THIS WARRANTY DOES NOT COVER CASUAL AND ROUTINE ADJUSTMENTS SUCH AS, BUT NOT LIMITED TO: FITTINGS, ANCHOR BOLT RE-TIGHTENING, OR ANY SHIMMING OR ADJUSTMENTS REQUIRED DURING A PROPER AND PROFESSIONAL INSTALLATION BY A QUALIFIED INSTALLER.

MAINTENANCE AND INSPECTIONS: IF THIS UNIT IS NOT MAINTAINED AND INSPECTED IN ACCORDANCE TO THE RELEVANT SECTIONS IN THE USERS MANUAL FOR THIS SPECIFIC MODEL, WARRANTY IS VOID. OSHA, ANSI AND MOHAWK REQUIRE THAT RECORDS MUST BE MAINTAINED TO PROVE THAT INSPECTIONS AND MAINTENANCE OF THIS UNIT HAVE BEEN ROUTINELY PERFORMED BY QUALIFIED INDIVIDUALS.

ABUSE: IF THIS UNIT IS FOUND TO BE OVERLOADED (PURPOSELY OR UNKNOWINGLY), USED IN A SITUATION BEYOND ITS INTENDED FUNCTION, NOT MAINTAINED OR INSPECTED REGULARLY, OR USED IN AN ABUSIVE ENVIRONMENT OR BEYOND NORMAL SHOP USAGE, ETC., THIS WARRANTY IS VOID IN ITS ENTIRETY.

NON-EXISTENT PROBLEMS: FOR SERVICE VISITS, PART REPLACEMENTS, LABOR, ETC. FOR PARTS FOUND TO BE NON-DEFECTIVE, OR FOR A UNIT DIS-FUNCTION THAT DOES NOT EXIST, IT IS THE LIFT OWNER THAT REQUESTED THE SERVICE VISIT WHO BEARS THE RESPONSIBILITY OF ALL RELATED EXPENSES.

BATTERIES: ALL BATTERIES CARRY THE BATTERY MANUFACTURER'S WARRANTY. MAINTENANCE REQUIREMENTS AND ABUSE PROVISIONS ARE AS STATED BY THE BATTERY MANUFACTURER. REFER TO BATTERY MANUFACTURER'S WARRANTY.

SPECIAL/MODIFIED INSTALLATIONS: THIS WARRANTY DOES NOT COVER "NON-TRADITIONAL" INSTALLATIONS. INSTALLATIONS ARE TO BE DONE ACCORDING TO SPECIFICATIONS, OR THE WARRANTY IS VOID.

WEARABLE COMPONENTS: SOME ITEMS ON LIFTS (IE. SLIDE BLOCKS) ARE SUBJECT TO NORMAL "WEAR AND TEAR" AND ARE NOT COVERED UNDER THIS WARRANTY.

*** THIS WARRANTY SUPERSEDES ALL OTHER WARRANTY POLICIES PREVIOUSLY STATED AND IN ALL OTHER MOHAWK PRODUCT SPECIFIC LITERATURE (MANUALS, BROCHURES, ETC.).**