

# PARALLELOGRAM LIFTS

Made in the U.S.A.

**MOHAWK** 



## FEATURES

- Full 4' of clear, unobstructed under-the-vehicle access without structural cross brace.
- Capacities in 36,000, 50,000, 75,000 & 100,000 lbs with 8 model track lengths from 26 to 44' long.
- Surface mounted or flush mounted. Only Mohawk's Parallelogram lifts high enough and is designed to later become a flush mounted lift.
- Clear span between the platforms with no obstructive tie bar across the floor.

## DESIGN

- 79" Full lifting height as a Surface Mount model, or 63" when installed as a Flush Mount model.
- Low profile approach ramps of SM design give access to even the lowest riding (low floor) transit buses, or ramps can be rolled away with optional air bag ramp for more room in the shop.
- Direct drive cylinders of each lifting leg provides powerful, smooth, and steady operation.

## BENEFITS

- Parallelogram lifts take up slightly more valuable shop space than do the vehicles being raised.
- Rolling Air/Hydraulic Jacks (optional) for raising front or rear axles.
- A wide variety of capacities and track lengths available designs for all your lifting needs.
- Flush Mounted (FM) version recesses level with shop floor for an obstruction free work area when not in use.
- Parallelograms above ground, or flush mount design avoids any possible environmental liabilities associated with the old style in your ground lifts.

## MULTIPLE SAFETY SYSTEMS

- Computer controlled synchronization guarantees level lifting of both platforms to within 1/8" both up and down.
- 12 position mechanical locks engage through the full lifting height, starting at 12" high.
- Mohawk's entire hydraulic circuit is fully protected with a combination of pressure compensated flow control and velocity fuse valving.


**MOHAWK** - *Because...Quality Lasts a Lifetime*

# 36,000, 50,000, 75,000 & 100,000 lbs. Capacities

Surface Mounted or Flush Mounted with Runway Lengths from 26' to 44' long



## PARALLELOGRAM LIFT



specifications subject to change without notice

### Optional Equipment

- Rolling wheel free jacks
- Runway lighting
- Full height tire dolly
- Safety contact switch on inner and outer runways

# MOHAWK

Mohawk Resources, LTD.  
P.O. Box 110  
65 Vrooman Ave  
Amsterdam, NY 12010  
(800) 833-2006  
(518) 842-1431  
FAX: (518) 842-1289  
[www.mohawklifts.com](http://www.mohawklifts.com)



DISTRIBUTED BY: